

## WEST Search History

DATE: Tuesday, April 11, 2006

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB; THES=ASSIGNEE; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L19	L18 and HMGB\$	2
<input type="checkbox"/>	L18	newman-walter.in.	16
<input type="checkbox"/>	L17	20040156851.pn.	1
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L16	20040156851.pn.	2
		<i>DB=USPT,USOC,EPAB,JPAB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L15	6448223.pn.	2
<input type="checkbox"/>	L14	L10 same effective	8
<input type="checkbox"/>	L13	L10 same additive	0
<input type="checkbox"/>	L12	L10 same synerg\$	1
<input type="checkbox"/>	L11	L10 same advanta\$	1
<input type="checkbox"/>	L10	L6 same (sepsis or arthritis)	114
<input type="checkbox"/>	L9	L6 same (sepsis same arthritis)	1
<input type="checkbox"/>	L8	L6 same (sepsis with arthritis)	0
<input type="checkbox"/>	L7	L6 same (combination adj therapy)	4
<input type="checkbox"/>	L6	infliximab or etanercept or adalimumab or ( cdp adj (870 or 571)) or lenercept	317
<input type="checkbox"/>	L5	L3 same (combination adj therapy)	35
<input type="checkbox"/>	L4	L3 same combination	294
<input type="checkbox"/>	L3	L2 same l1	3749
<input type="checkbox"/>	L2	TNF\$	21633
<input type="checkbox"/>	L1	sepsis or arthritis	63571

END OF SEARCH HISTORY



## United States Patent and Trademark Office

[Home](#) | [Site Index](#) | [Search](#) | [FAQ](#) | [Glossary](#) | [Guides](#) | [Contacts](#) | [eBusiness](#) | [eBiz alerts](#) | [News](#) | [Help](#)

## Trademarks &gt; Trademark Electronic Search System(Tess)

TESS was last updated on Tue Apr 11 04:16:15 EDT 2006

[TESS HOME](#) | [NEW USER](#) | [STRUCTURED](#) | [FREE FORM](#) | [BROWSE DICT](#) | [SEARCH OG](#) | [BOTTOM](#) | [HELP](#) | [PREV LIST](#) | [CURR LIST](#)  
[NEXT LIST](#) | [FIRST DOC](#) | [PREV DOC](#) | [NEXT DOC](#) | [LAST DOC](#)
[Logout](#) Please logout when you are done to release system resources allocated for you.

[Start](#) List At:  OR [Jump](#) to record:  **Record 1 out of 4**
[TARR Status](#) | [ASSIGN Status](#) | [TDR](#) | [TTAB Status](#) ( Use the "Back" button of the Internet Browser to return to TESS)


<b>Word Mark</b>	ENBREL ETANERCEPT
<b>Goods and Services</b>	IC 009. US 021 023 026 036 038. G & S: Prerecorded audio tapes and discs, videotapes and discs, and compact discs featuring information relating to human immune diseases and conditions. FIRST USE: 20000800. FIRST USE IN COMMERCE: 20000800
<b>Mark Drawing Code</b>	(3) DESIGN PLUS WORDS, LETTERS, AND/OR NUMBERS
<b>Design Search Code</b>	02.01.33 - Men, grotesque; Monsters (not robots); Snowmen; Stick figures 26.11.20 - Rectangles inside one another 26.11.21 - Rectangles that are completely or partially shaded
<b>Serial Number</b>	75643724
<b>Filing Date</b>	February 19, 1999
<b>Current Filing Basis</b>	1A
<b>Original Filing Basis</b>	1B
<b>Published for Opposition</b>	October 5, 1999
<b>Registration Number</b>	2518007
<b>Registration Date</b>	December 11, 2001
<b>Owner</b>	(REGISTRANT) Immunex Corporation CORPORATION WASHINGTON 51 University Street Seattle WASHINGTON 98101

Attorney of Record LAURENCE R. HEFTER

Prior Registrations 2220795

Disclaimer NO CLAIM IS MADE TO THE EXCLUSIVE RIGHT TO USE "ETANERCEPT" APART FROM THE MARK AS SHOWN

Description of Mark The mark consists of the word "ENBREL" a rectangle and the stylized figure of a person in motion.

Type of Mark TRADEMARK

Register PRINCIPAL

Live/Dead Indicator LIVE

---

<a href="#">TESS HOME</a>	<a href="#">NEW USER</a>	<a href="#">STRUCTURED</a>	<a href="#">FREE FORM</a>	<a href="#">BROWSE DICT</a>	<a href="#">SEARCH OG</a>	<a href="#">TOP</a>	<a href="#">HELP</a>	<a href="#">PREV LIST</a>	<a href="#">CURR LIST</a>
<a href="#">NEXT LIST</a>	<a href="#">FIRST DOC</a>	<a href="#">PREV DOC</a>	<a href="#">NEXT DOC</a>	<a href="#">LAST DOC</a>					

---

[|.HOME](#) | [SITE INDEX](#) | [SEARCH](#) | [eBUSINESS](#) | [HELP](#) | [PRIVACY POLICY](#)

=> d his

(FILE 'HOME' ENTERED AT 06:55:17 ON 11 APR 2006)

FILE 'DISSABS, 1MOBILITY, AGRICOLA, AQUASCI, BIOTECHNO, COMPENDEX, COMPUAB, CONF, CONFSCI, ELCOM, HEALSAFE, IMSDRUGCONF, LIFESCI, OCEAN, PAPERCHEM2, PASCAL, POLLUAB, SOLIDSTATE, ADISCTI, ADISINSIGHT, ADISNEWS, ANABSTR, ANTE, AQUALINE, BIOENG, BIOSIS, ...' ENTERED AT 06:55:26 ON 11 APR 2006

L1 2942 S HMG? (S) (CYTOKINE OR TNF)  
L2 1599 S L1 (S) TNF  
L3 686 S L2 (S) (ANTI OR ANTIBOD? OR MAB)  
L4 549 DUP REM L3 (137 DUPLICATES REMOVED)

FILE 'DISSABS, 1MOBILITY, AGRICOLA, AQUASCI, BIOTECHNO, COMPENDEX, COMPUAB, CONF, CONFSCI, ELCOM, HEALSAFE, IMSDRUGCONF, LIFESCI, OCEAN, PAPERCHEM2, PASCAL, POLLUAB, SOLIDSTATE, ADISCTI, ADISINSIGHT, ADISNEWS, ANABSTR, ANTE, AQUALINE, BIOENG, BIOSIS, ...' ENTERED AT 07:05:32 ON 11 APR 2006

FILE 'STNGUIDE' ENTERED AT 07:32:57 ON 11 APR 2006

FILE 'DISSABS, BIOTECHNO, LIFESCI, PASCAL, ADISCTI, BIOTECHDS, CAPLUS, DGENE, DRUGU, EMBAL, EMBASE, ESBIODBASE, FEDRIP, GENBANK, IFIPAT, JICST-EPLUS, MEDLINE, PHARMAML, PHIC, PHIN, PROMT, TOXCENTER, USPATFULL, USPAT2, WPIDS, NLDB' ENTERED AT 07:40:00 ON 11 APR 2006

FILE 'STNGUIDE' ENTERED AT 07:45:30 ON 11 APR 2006

FILE 'DISSABS, BIOTECHNO, LIFESCI, PASCAL, ADISCTI, BIOTECHDS, CAPLUS, DGENE, DRUGU, EMBAL, EMBASE, ESBIODBASE, FEDRIP, GENBANK, IFIPAT, JICST-EPLUS, MEDLINE, PHARMAML, PHIC, PHIN, PROMT, TOXCENTER, USPATFULL, USPAT2, WPIDS, NLDB' ENTERED AT 07:48:02 ON 11 APR 2006

FILE 'STNGUIDE' ENTERED AT 07:48:10 ON 11 APR 2006

FILE 'DISSABS, 1MOBILITY, AGRICOLA, AQUASCI, BIOTECHNO, COMPENDEX, COMPUAB, CONF, CONFSCI, ELCOM, HEALSAFE, IMSDRUGCONF, LIFESCI, OCEAN, PAPERCHEM2, PASCAL, POLLUAB, SOLIDSTATE, ADISCTI, ADISINSIGHT, ADISNEWS, ANABSTR, ANTE, AQUALINE, BIOENG, BIOSIS, ...' ENTERED AT 07:48:34 ON 11 APR 2006

L5 129 S L4 (S) HMGB?  
L6 129 DUP REM L5 (0 DUPLICATES REMOVED)

=> d his

(FILE 'HOME' ENTERED AT 06:55:17 ON 11 APR 2006)

FILE 'DISSABS, 1MOBILITY, AGRICOLA, AQUASCI, BIOTECHNO, COMPENDEX,  
COMPUAB, CONF, CONFSCI, ELCOM, HEALSAFE, IMSDRUGCONF, LIFESCI, OCEAN,  
PAPERCHEM2, PASCAL, POLLUAB, SOLIDSTATE, ADISCTI, ADISINSIGHT, ADISNEWS,  
ANABSTR, ANTE, AQUALINE, BIOENG, BIOSIS, ...' ENTERED AT 06:55:26 ON 11  
APR 2006

L1 2942 S HMG? (S) (CYTOKINE OR TNF)  
L2 1599 S L1 (S) TNF  
L3 686 S L2 (S) (ANTI OR ANTIBOD? OR MAB)  
L4 549 DUP REM L3 (137 DUPLICATES REMOVED)

FILE 'DISSABS, 1MOBILITY, AGRICOLA, AQUASCI, BIOTECHNO, COMPENDEX,  
COMPUAB, CONF, CONFSCI, ELCOM, HEALSAFE, IMSDRUGCONF, LIFESCI, OCEAN,  
PAPERCHEM2, PASCAL, POLLUAB, SOLIDSTATE, ADISCTI, ADISINSIGHT, ADISNEWS,  
ANABSTR, ANTE, AQUALINE, BIOENG, BIOSIS, ...' ENTERED AT 07:05:32 ON 11  
APR 2006

FILE 'STNGUIDE' ENTERED AT 07:32:57 ON 11 APR 2006

FILE 'DISSABS, BIOTECHNO, LIFESCI, PASCAL, ADISCTI, BIOTECHDS, CAPLUS,  
DGENE, DRUGU, EMBAL, EMBASE, ESBIODBASE, FEDRIP, GENBANK, IFIPAT,  
JICST-EPLUS, MEDLINE, PHARMAML, PHIC, PHIN, PROMT, TOXCENTER, USPATFULL,  
USPAT2, WPIDS, NLDB' ENTERED AT 07:40:00 ON 11 APR 2006

FILE 'STNGUIDE' ENTERED AT 07:45:30 ON 11 APR 2006

FILE 'DISSABS, BIOTECHNO, LIFESCI, PASCAL, ADISCTI, BIOTECHDS, CAPLUS,  
DGENE, DRUGU, EMBAL, EMBASE, ESBIODBASE, FEDRIP, GENBANK, IFIPAT,  
JICST-EPLUS, MEDLINE, PHARMAML, PHIC, PHIN, PROMT, TOXCENTER, USPATFULL,  
USPAT2, WPIDS, NLDB' ENTERED AT 07:48:02 ON 11 APR 2006

FILE 'STNGUIDE' ENTERED AT 07:48:10 ON 11 APR 2006

ACCESSION NUMBER: AAA88303 DNA DGENE

TITLE: Novel pharmaceutical compositions used to treat conditions characterized by activation of the inflammatory cytokine cascade, especially sepsis, or to cause weight loss and treat obesity -

INVENTOR: Tracey K J; Wang H

PATENT ASSIGNEE: (PICO-N)PICOWER INST MEDICAL RES.

PATENT INFO: WO 2000047104 A2 20000817 35

APPLICATION INFO: WO 2000-US3583 20000211

PRIORITY INFO: US 1999-248574 19990211

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 2000-549070 [50]

DESCRIPTION: High mobility group 1 PCR primer SEQ ID NO:2.

AB The present invention describes a pharmaceutical composition for treating conditions characterised by activation of the inflammatory cytokine cascade, comprising a high mobility group (HMG)1 antagonist or inhibitor. The HMG1 antagonist containing compositions are used to treat conditions characterised by activation of the inflammatory cytokine cascade, especially sepsis. An antagonist of an early sepsis mediator, especially an antagonist of tumour necrosis factor (TNF), interleukin (IL)-1beta, MIF, or IL-6, an antibody to TNF, or MIF, or an IL-1 receptor antagonist, may also be administered to enhance the sepsis treatment. HMG1 can be used to cause weight loss and treat obesity. The present invention also describes methods which can be used to diagnose and prognose the severity, or likely clinical course, of sepsis in patients exhibiting shock-like symptoms or at risk of exhibiting symptoms associated with inflammatory cascade mediated conditions. The diagnostic method is applied to serum, or other tissues or fluids such as cerebrospinal fluid or urine. The present sequence represents a PCR primer for HMG1, which is used in an example from the present invention.

AB The present invention describes a pharmaceutical composition for treating conditions characterised by activation of the inflammatory cytokine cascade, comprising a high mobility group (HMG)1 antagonist or inhibitor. The HMG1 antagonist containing compositions are used to treat conditions characterised by activation of the inflammatory cytokine cascade, especially sepsis. An antagonist of an early sepsis mediator, especially an antagonist of tumour necrosis factor (TNF), interleukin (IL)-1beta, MIF, or IL-6, an antibody to TNF, or MIF, or an IL-1 receptor antagonist, may also be administered to enhance the sepsis treatment. HMG1 can be used to cause weight loss and treat obesity. The present invention also describes methods which can be used. . . serum, or other tissues or fluids such as cerebrospinal fluid or urine. The present sequence represents a PCR primer for HMG1, which is used in an example from the present invention.

ANSWER 65 OF 129 DRUGU COPYRIGHT 2006 THE THOMSON CORP on STN  
ACCESSION NUMBER: 2003-01232 DRUGU P  
TITLE: HMGB1-targeted therapy ameliorates collagen-induced arthritis  
in mice.  
AUTHOR: Kokkola R M J; Sundberg E; Tracey K J; Andersson U; Harris H  
E  
CORPORATE SOURCE: Karolinska-Inst.  
LOCATION: Stockholm, Swed.; Manhasset, N.Y., USA  
SOURCE: Arthritis Rheum. (46, No. 9, Suppl., S566, 2002)  
CODEN: ARHEAW ISSN: 0004-3591  
AVAIL. OF DOC.: Karolinska Institutet, Stockholm, Sweden.  
LANGUAGE: English  
DOCUMENT TYPE: Journal  
FIELD AVAIL.: AB; LA; CT  
FILE SEGMENT: Literature

AB The effects of i.p. high mobility group box chromosomal protein 1 (HMGB1) A-box and anti-HMGB1 antibodies were investigated in an in-vitro study and in in-vivo studies in mice with collagen-induced CIA. HMGB1 A-box decreased production of proinflammatory cytokines induced by HMGB1 B-box. HMGB1 A-box and anti-HMGB1 antibodies ameliorated arthritis in-vivo in mice. In conclusion, the results show HMGB1 may be a future target for therapy of human arthritis an A-box and/or anti-HMGB1 antibodies could be sued as antagonists of excessive cytokine production in arthritis.  
(conference abstract: American College of Rheumatology 66th Annual Scientific Meeting and the Association of Rheumatology Health Professionals 37th Annual Scientific Meeting, New Orleans, Louisiana, USA, 2002).

ABEX. . . Methods DBA1/J mice were immunized with bovine collagen type II to induce CIA and were boosted on day 21, I.p. HMGB1 A-box or anti-HMGB1 antibodies were given for 7 days. Results In-vitro in mouse peritoneal macrophages, HMGB1 B-box-induced TNF production was decreased after preincubation with HMGB1 A-box. In-vivo, HMGB1 A-box or anti-HMGB1 antibodies treated mice showed lower mean arthritis indexes compared with controls. The number of affected paws and paws with maximal arthritis. . .

Arthritis  
CIA  
model

ACCESSION NUMBER: 2004-0306505 PASCAL  
COPYRIGHT NOTICE: Copyright .COPYRGT. 2004 INIST-CNRS. All rights reserved.  
TITLE (IN ENGLISH): High mobility group box-1 as a therapeutic target downstream of tumor necrosis factor  
First Annual Cambridge Colloquium on Genetic, Molecular, and Cellular Basis of Innate Immunity and Sepsis  
AUTHOR: CZURA Christopher J.; HUAN YANG; TRACEY Kevin J. ABRAHAM Edward (ed.); CALANDRA Thierry (ed.)  
CORPORATE SOURCE: Laboratory of Biomedical Science, North Shore-Long Island Jewish Research Institute, Manhasset, New York, United States  
Division of Pulmonary Sciences and Critical Care Medicine, University of Colorado, Denver, United States; Department of Internal Medicine, Division of Infectious Diseases, Centre Hospitalier Universitaire Vaudois, Lausanne, Switzerland  
SOURCE: The International Sepsis Forum, INC (patr.)  
The Journal of infectious diseases, (2003), 187(SUP2), S391-S396, 48 refs.  
Conference: 1 Annual Cambridge Colloquium on Genetic, Molecular, and Cellular Basis of Innate Immunity and Sepsis, Cambridge (United Kingdom), 14 Jul 2002  
ISSN: 0022-1899 CODEN: JIDIAQ  
DOCUMENT TYPE: Journal; Conference  
BIBLIOGRAPHIC LEVEL: Analytic  
COUNTRY: United States  
LANGUAGE: English  
AVAILABILITY: INIST-2052, 354000118565400130

AB The discovery of tumor necrosis factor (TNF) as a necessary and sufficient mediator of systemic inflammation started a new field of research to rationally modulate cytokine responses to therapeutic advantage. However, the early kinetics of the TNF response during infection defined an extremely narrow window of opportunity during which anti-TNF therapeutics are efficacious, hampering clinical development for severe sepsis. Because death from severe sepsis often occurs as a late phenomenon, we began a search began for putative "late" mediators that could be targeted after the onset of infection. We have now identified high mobility group box-1 (HMGB1) as a late mediator of endotoxemia and sepsis.

HMGB1 is released by activated macrophages, induces the release of other proinflammatory mediators, and mediates lethality when overexpressed. Administration of anti-HMGB1 antibodies inhibit systemic inflammation, even in established cases, because HMGB1 activity is elevated at significantly later time points than TNF or interleukin-1. It will now be important to determine whether this wider window of activity can be translated into therapeutic advantage for human inflammatory disease.

AB The discovery of tumor necrosis factor (TNF) as a necessary and sufficient mediator of systemic inflammation started a new field of research to rationally modulate cytokine responses to therapeutic advantage. However, the early kinetics of the TNF response during infection defined an extremely narrow window of opportunity during which anti-TNF therapeutics are efficacious, hampering clinical development for severe sepsis. Because death from severe sepsis often occurs as a late phenomenon, . . . putative "late" mediators that could be targeted after the onset of infection. We have now identified high mobility group box-1 (HMGB1) as a late mediator of endotoxemia and sepsis. HMGB1 is released by activated macrophages, induces the release of other proinflammatory mediators, and mediates lethality when overexpressed. Administration of anti-HMGB1 antibodies inhibit systemic inflammation, even in established cases, because HMGB1 activity is elevated at significantly later time points than TNF or interleukin-1. It will now be